


T Series

T Series Non Threaded LPDE tapered caps and plugs

Protective tapered cap and plug are design and made from flexible polyethylene, they not only can be applied to fit snugly but are also readily removable.



Colour Red

Material Low Density Polyethylene

Dimensions are shown in millimeters

Size	A mm	B mm	C mm	D mm	E mm	F mm
T-00	2.95	4.62	1.35	3.05	9.65	7.87
T-00-S	3.56	4.57	2.24	2.77	5.59	7.87
T-00-X	3.68	5.21	2.01	3.81	9.65	10.41
T-0	4.39	6.1	2.82	4.5	9.65	9.65
T-0-X	4.67	6.48	2.87	4.37	9.65	9.65
235-V	5.31	6.83	3.81	5.33	8.64	9.65
235-T	5.33	6.99	3.71	5.36	8.64	11.43
T-1	5.99	7.67	4.42	6.1	9.65	11.18
T-1-X	6.78	8.51	5.21	6.93	9.65	11.94
T-2	7.59	9.27	5.97	7.67	9.65	12.7
T-2-S	8.26	9.32	6.68	7.75	4.83	12.7
T-2-X	8.38	10.06	6.78	8.46	9.65	13.46
T-3	9.17	10.85	7.57	9.27	9.65	14.22
T-3-X	9.91	11.58	8.31	10.01	9.65	14.99
T-4	10.64	12.32	9.04	10.72	9.65	16
T-4-X	11.35	13.03	9.78	11.46	9.65	16.76
T-5	11.96	13.89	10.39	12.32	11.18	17.53
189-C	12.12	13.89	10.54	12.32	7.87	17.53
T-5-X	12.7	14.63	11.18	13.11	11.18	18.29
T-5-S	13.54	14.28	12.12	12.85	5.59	17.27
T-6	13.51	15.44	11.89	13.84	11.18	19.05
T-6-X	13.97	16.03	12.37	14.43	11.94	19.05
T-6-S	14.07	15.55	12.45	14	7.87	19.05
T-7	14.73	16.94	13.16	15.37	12.7	20.57
T-7-X	15.49	17.65	13.95	16.1	12.7	21.34
T-8	16.26	18.47	14.68	16.87	12.7	22.35
T-8-S	16.99	17.63	15.57	16.21	4.83	19.05
T-8-X	17.15	19.18	15.57	17.6	12.7	22.35
T-9	17.53	20.02	15.95	18.44	14.22	23.88
T-9-X	18.42	20.91	16.84	19.33	14.22	24.64
T-9-S	18.8	19.43	17.22	17.86	4.83	22.35
T-10S	19	21.54	17.45	19.69	9.91	25.91
T-10	19.05	21.54	17.45	19.94	14.22	25.4
710	19.05	20.45	17.48	18.87	4.83	21.84
T-11	20.37	23.14	18.8	21.57	16	26.93
T-11-X	20.7	23.62	19.13	22.05	16	27.69

T-15-A	21.24	33.15	19.74	31.68	26.93	36.32
T-11-S	21.26	22.61	19.23	20.57	5.59	26.67
192-2-C	21.69	24.33	20.07	22.71	16.76	28.7
T-12	22	24.77	20.4	23.17	16	28.7
192-1	22.07	24.71	20.45	23.09	19.05	28.7
T-12-X	23.24	26.42	21.72	24.89	17.53	29.47
249-2	24.13	27.69	22.61	26.16	26.16	31.75
277	24.26	26.42	22.73	24.89	12.7	29.46
T-13-A	24.38	26.59	22.86	25.07	12.7	30.23
T-13	24.49	27.69	22.89	26.09	19.05	31.75
249-W	24.77	28.04	23.32	26.59	19.05	36.58
T-13-X	25.27	29.08	23.7	27.51	19.05	33.28
709	25.91	26.42	23.88	24.38	22.35	33.27
T-14	27.79	30.86	26.19	29.26	19.05	35.82
T-16-A	28.96	36.07	27.56	34.49	20.57	39.63
T-14-X	29.85	32.61	28.27	31.04	16	36.58
250-SW	29.85	32.61	28.27	31.04	16.76	42.42
250	29.95	32.66	28.32	31.04	19.05	36.58
T-15	31.09	34.42	29.49	32.82	19.05	38.1
T-15-X	31.37	34.55	29.8	32.97	20.57	38.1
T-17-A	31.47	38.28	29.69	36.5	19.05	41.4
1153	32.41	33.32	29.32	32.23	14.2	35.05
T-15-S	32.64	34.19	31.17	32.72	9.65	37.34
252	32.82	34.44	31.27	32.89	19.05	38.1
253	33.32	37.21	31.7	35.59	19.05	41.15
T-16	33.33	37.21	31.73	35.61	22.35	41.4
253-2	34.14	38.28	32.56	36.7	23.88	44.96
253-S	34.29	37.21	32.66	35.59	13.46	41.15
T-16-S	35.43	37.21	34.16	35.69	9.91	40.39
727	36.45	38.1	34.04	36.07	20.32	44.45
T-20-A	36.58	48.13	35	46.56	32.51	52.33
T-17	36.76	40.64	35.15	39.04	22.35	44.45
254-S	36.75	40.64	35.15	39.04	23.88	44.45
254	36.86	40.67	35.23	39.04	19.05	44.45
T-17-S	38.43	40.64	36.86	39.04	12.7	44.45
194	38.58	40.69	36.96	39.07	19.05	44.45
T-18	39.63	42.72	38.05	41.15	19.05	47.75
195-S	39.98	42.88	38.46	41.35	15.75	47.75
T-18-X	41.4	44.45	39.83	42.88	19.05	49.28
255	41.48	44.45	39.85	42.93	19.05	46.74
1972	43.69	46.99	42.27	45.57	19.05	51.56
T-21-A	44.15	54.94	42.37	53.16	29.97	58.68
T-19	44.45	47.75	42.88	46.18	19.05	50.8
T-20	45.21	49.53	43.64	47.96	25.4	54.1
T-20-S	45.24	45.85	43.74	44.35	9.65	50.8
206	45.9	49.23	44.27	47.6	25.4	54.86
T-210	46.84	50.8	45.24	49.23	25.4	54.1
911	47.37	50.17	45.34	48.13	17.02	60.45
T-21	48.26	52.73	46.66	51.13	25.4	57.15
T-22-A	49.15	58.68	47.63	57.28	21.59	62.74

806	49.53	52.45	47.88	50.8	19.05	55.88
T-220	50.17	54.15	48.59	52.58	25.4	57.15
T-1143	274.07	281.89	269.75	277.11	44.45	294.64
T-1146	282.19	290.96	273.79	288.7	50.8	303.78
T-1314	324.87	333.71	316.99	328.24	50.8	346.46
T-1360	336.55	345.36	329.18	334.7	50.8	358.14
T-22-S	51.18	54.54	49.61	52.96	19.05	58.68
258-S	51.31	53.34	52.32	54.36	9.65	65.79
T-221	52.5	56.97	50.93	55.4	25.4	61.98
T-25-A	53.98	61.11	52.4	59.54	25.4	64.26
T-230	54.26	58.73	52.68	57.15	25.4	65.03
T-24-S	56.64	57.41	55.07	55.83	12.7	63.5
1230	57.91	60.96	56.29	59.33	19.05	71.12
T-240	58.37	62.59	56.77	60.99	25.4	66.8
708	58.42	62.59	56.39	60.53	19.05	67.56
T-33-A	58.6	67.31	57.03	65.74	31.75	70.61
265	58.7	67.31	57.07	65.68	25.4	70.61
T-250	60.84	66.09	59.26	64.52	26.16	71.38
263	60.86	66.14	59.23	64.52	29.46	71.37
T-43-A	62.41	69.85	60.84	68.28	25.4	73.15
T-33-A1	62.99	67.16	61.42	65.59	16	70.61
T-43-X	64.9	68.33	63.32	66.75	16	73.15
267	65.05	68.33	63.42	66.7	19.05	73.15
T-44	67.08	70.87	65.51	69.29	19.05	74.68
2156	67.44	70.82	65.91	69.29	12.7	75.44
862	68.73	72.9	66.7	70.87	18.29	77.72
208	69.09	75.95	67.46	74.32	25.4	79.5
T-45-A	70.11	75.95	68.2	74.86	25.4	79.51
T-500	72.37	75.69	70.79	74.12	19.05	82.55
T-53	75.57	78.82	74.04	77.24	19.05	84.84
T-55-A	75.75	82.43	73.97	80.65	25.4	85.86
228	76.1	80.24	74.07	78.21	11.94	86.61
T-57-A	78.49	85.6	76.71	83.82	25.4	88.9
T-96-A	83.06	90.48	81.28	88.7	28.7	93.73
T-501	84.46	87.81	82.43	85.78	19.05	92.21
T-1050	88.14	91.44	86.62	89.92	19.05	98.56
T-1051	90.17	94.75	88.4	92.97	25.4	101.6
T-1052	93.48	96.52	91.7	94.75	19.05	101.6
T-502	96.27	99.57	94.24	97.54	19.05	104.65
T-1063	99.83	103.38	98.05	101.6	19.05	111.26
T-1064	102.11	105.16	100.08	103.38	19.05	115.07
T-1067	103.89	109.73	101.86	107.7	31.75	117.35
406	107.04	113.26	105	111.23	25.4	125.48
T-1070	108.46	112.53	106.18	110.24	22.35	123.96
T-1072	111	117.35	108.97	115.32	25.4	127.01
T-1076	117.86	123.19	116.08	121.42	22.35	133.36
T-1078	121.67	126.24	119.64	124.21	25.4	136.66
T-1079	124.72	129.29	122.69	127.26	25.4	139.71
407	126.49	129.54	124.46	127.51	17.53	138.18
T-1080	126.75	132.09	124.97	129.55	25.4	143.01

T-1084	131.58	136.15	129.8	134.37	25.4	149.36
T-1086	135.39	139.45	132.34	136.4	22.35	149.36
T-1088	138.94	142.75	136.91	140.72	25.4	155.71
T-1090	141.48	146.06	139.45	144.02	25.4	157.23
T-1092	144.79	149.1	142.5	147.07	24.89	158.76
T-1097	152.66	156.98	150.37	154.95	25.4	168.15
T-1100	156.98	161.3	154.69	159.01	25.4	171.46
T-1103	162.57	166.63	160.79	164.85	22.1	176.28
T-1107	167.9	170.44	165.87	168.41	38.1	182.63
365	169.37	172.06	166.67	169.37	38.1	182.63
T-1108S	174.75	178.56	172.72	176.53	12.7	194.82
T-1108X	176.22	186.75	173.88	184.37	37.03	195.94
T-1109	179.08	180.86	177.04	179.33	25.4	193.81
T-1110	186.44	194.32	184.41	192.03	25.4	201.68
T-1120	194.57	199.14	192.54	197.11	25.4	206.26
T-1128	202.45	206.76	200.16	204.48	25.4	212.86
T-1133	207.02	212.1	204.48	209.56	35.05	222.26
T-1137	213.37	218.45	210.83	215.91	35.05	228.61
T-1139	220.23	221.75	217.18	218.45	38.1	231.91
T-1142	230.12	237.85	225.81	234.7	44.45	250.44
390	253.24	259.59	249.43	256.03	24.64	268.22